




Architectural Ironmongery Catalogue

Mechanical Locking


Shortform



Symbols




This symbol indicates that the product is CE marked under EN12209. CE marking is compulsory for products with a harmonised European Standard which are to be fitted to fire and/or smoke resisting doors, and escape doors. In general all of our locks and latches are CE marked.




This symbol denotes a product that has been successfully tested to EN1634-1:2008 for use on 30 minute fire and smoke doors.

Please be aware that certain products will require the use of an additional intumescent product if fitted to a 30 minute fire door. Please request this information as necessary.




This symbol denotes a product that has been successfully tested to EN1634-1:2008 for use on 60 minute fire and smoke doors. It is **not** implicit that a 60 minute rated product has been tested as suitable for use on a 30 minute fire door, the 30 and 60 minute tests are carried out independently of one another.

Please be aware that certain products will require the use of an additional intumescent product if fitted to a 60 minute fire door. Please request this information as necessary.



Approved Document M makes specific requirements for the dimensions and format of certain products used on doors. This symbol denotes a product that meets the dimensional and format requirements of Approved Document M, BS8300 and The Equality Act 2010.



This symbol indicates the length of time (in years) that the product is guaranteed for as standard.


Guarantees are manufacturer's.



Contents

Contents	Page Numbers
Symbols	2
Scandinavian Profile Lock Cases	6-7
DIN Lock Cases	
Heavy Duty	8-9
Standard duty	10-13
Bristish Sized Lock Cases	14-25
Latches	26-28
Bathroom Deadlocks	30-31
Sliding Door Locks	32-33
Multipoint Locks	34-39
Rim Night Latches	40-41
Digital Locks	42-47
Cylinder & Masterkey Systems	48-59

Contents



Scandinavian Locks - Pages 6-7




Sliding Door Locks - Pages 32-33



British Sized Locks & Latches - Pages 14-31


Contents



DIN Locks - Pages 8-13



Digital Locks - Pages 42-47



Multipoint Locks - Pages 34-39



Cylinder Systems & Mastersuiting - Pages 48-59

Scandinavian Locks



Scandinavian locks for doors subject to frequent hard usage.

Suitable for any environment, but particularly suitable for very high traffic areas, security doors and doors potentially subject to violent usage.

Deadbolts are thrown or retracted by a 90° turn of the key or thumbturn.

Heavy sprung latch follower suitable for all lever types, including unsprung solid levers.

Available in satin chrome plate or polished brass finish.

Available in 35mm, 50mm and 70mm backsets.


Rebate kits are available.

This lock utilises Scandinavian Oval Cylinders.

Product codes below are for 70mm backset and satin chrome finish.

Description	Prod Code
Sashlock	MOD-0001
Deadlock	MOD-1018
Latch	MOD-2029
Bathroom Lock	MOD-3039
Escape Sashlock	MOD-4056
Night Latch	MOD-7236

Scandinavian Locks



Rebate kits available in silver finish

Rebate	Prod Code
12mm	MODR12SC
19mm	MODR19SC
25mm	MODR25SC

DIN Locks - Heavy Duty



ASSA
ASSA ABLOY

Heavy duty euro Profile DIN Style lock cases offer excellent choice and security in a mortice lock range.

Robust, European made locks with an elliptical deadbolt for added strength, the deadbolt also “double throws” for extra security. Key to latch feature.

Suitable for commercial, public or residential use, this range contains locks with functions for all requirements.

Available in 60mm backset.


Available in satin stainless steel finish.

Available with square or radius forend.

Product codes below are for square forends, take the SQ off the end for radius forend, e.g DING-0001.

Description	Prod Code
Sashlock	DING-0001SQ
Deadlock	DING-1018SQ
Latch	DING-2029SQ
Bathroom Lock (8mm Turn Follower)	DING-3039SQ
Escape Sashlock	DING-4056SQ
Night Latch	DING-7236SQ

DIN Locks - Heavy Duty



Description	Prod Code
8mm-5mm Spindle Converter	SPINSLEEVE

DIN Locks - Standard Duty



Standard duty euro Profile DIN Style lock cases offer reliability and performance at a contract price.

European manufactured locks a double throw deadbolt for extra security. Key to latch feature.

Suitable for commercial and residential use, this range contains locks with with basic functions .

Available in 60mm backset.

Available in satin stainless steel finish.



Available with square or radius forend.

Rebate kits available.

Product codes below are for square forends, take the SQ off the end for radius forend, e.g DIN-0001.

Description	Prod Code
Sashlock	DIN-0001SQ
Deadlock	DIN-1018SQ
Latch	DIN-2029SQ
Bathroom Lock (8mm Turn Follower)	DIN-3039SQ

DIN Locks - Standard Duty



Rebate	Prod Code
13mm	DING-REBATE



Description	Prod Code
8mm-5mm Spindle Converter	SPINSLEEVE



Standard duty euro Profile DIN Style lock cases offer reliability and performance.

Suitable for commercial and residential use, this range contains locks with with basic and special functions .

Available in 60mm backset.


Available in polished brass finish or satin stainless steel finish.

Available with square or radius forend.

Rebate kits available.


Product codes below are for polished brass finish and square forends, take the SQ off the end for radius forend, e.g DINB-0001.

Description	Prod Code
Sashlock	DINB-0001SQ
Deadlock	DINB-1018SQ
Latch	DINB-2029SQ
Bathroom Lock (5mm Turn Follower)	DINB-3039SQ
Escape Sashlock	DINB-4056SQ
Night Latch	DINB-7236SQ



Rebate	Prod Code
13mm	DINB-REBATE

British Sized Locks - Euro Profile



Standard duty euro profile locks for doors subject to medium frequency use.

Suitable for most residential and commercial environments.



Deadbolt is thrown or retracted by a 360° turn of the key or thumbturn.



Heavy sprung latch follower suitable for all lever furniture including unsprung levers.



- Satin stainless steel
- Polished brass (pictured)

47.5mm centre sashlock available in two backsets.

Deadlock available in two backsets.

Rebate kits available.

Description	Finish	Case	Backset	Prod Code
Sash Lock	Polished Brass	68mm	45mm	LIM6512
		81mm	57mm	LIM6534
	Stainless Steel	68mm	45mm	LIM6501
		81mm	57mm	LIM6523
Dead Lock	Polished Brass	68mm	45mm	LIM7123
		81mm	57mm	LIM7145
	Stainless Steel	68mm	45mm	LIM7112
		81mm	57mm	LIM7134

British Sized Locks - British Oval Profile



Standard duty British Oval profile locks for doors subject to medium frequency use.

Suitable for most residential and commercial environments.



Deadbolt is thrown or retracted by a 360° turn of the key or thumbturn.



Heavy sprung latch follower suitable for all lever furniture including unsprung levers.



- Satin stainless steel
- Polished brass (pictured)

Sashlock available in two backsets.

Deadlock available in two backsets.

Rebate kits available.

Description	Finish	Case	Backset	Prod Code
Sash Lock	Polished Brass	68mm	45mm	LIM6022
		81mm	57mm	LIM6044
	Stainless Steel	68mm	45mm	LIM6011
		81mm	57mm	LIM6033
Dead Lock	Polished Brass	68mm	45mm	LIM6123
		81mm	57mm	LIM6112
	Stainless Steel	68mm	45mm	LIM6145
		81mm	57mm	LIM6134

British Sized Locks - BS3621



5 lever BS3621 locks for doors subject to medium use.



Suitable for most residential and commercial environments.

Deadbolt is thrown or retracted by a 360° turn of the key. Comes with 2 keys.



Heavy sprung latch follower suitable for all lever furniture including unsprung levers.



These locks can be keyed alike in our workshop.

Available in two finishes.



- Satin stainless steel
- Polished brass (pictured)

Sashlock available in two backsets.

Deadlock available in two backsets.

Rebate kits available.

Description	Finish	Case	Backset	Prod Code
Sash Lock	Polished Brass	68mm	45mm	LIM211
		81mm	57mm	LIM213
	Stainless Steel	68mm	45mm	LIM210
		81mm	57mm	LIM212
Dead Lock	Polished Brass	68mm	45mm	LIM351
		81mm	57mm	LIM353
	Stainless Steel	68mm	45mm	LIM350
		81mm	57mm	LIM352

British Sized Locks - 3 Lever



3 lever locks for doors subject to medium frequency use.



Suitable for most residential and commercial environments.

Deadbolt is thrown or retracted by a 360° turn of the key.



Heavy sprung latch follower suitable for all lever furniture including unsprung levers.



Available in two finishes.

- Satin stainless steel
- Polished brass (pictured)



Sashlock available in two backsets.

Deadlock available in two backsets.

Rebate kits available.

Description	Finish	Case	Backset	Prod Code
Sash Lock	Polished Brass	68mm	45mm	LIM101
		81mm	57mm	LIM103
	Stainless Steel	68mm	45mm	LIM100
		81mm	57mm	LIM102
Dead Lock	Polished Brass	68mm	45mm	LIM401
		81mm	57mm	LIM403
	Stainless Steel	68mm	45mm	LIM400
		81mm	57mm	LIM402

British Sized Locks - Bathroom



Bathroom sash lock for doors subject to medium frequency use.
Suitable for most residential and light commercial environments.



Deadbolt is thrown or retracted by a 360° turn of the thumbturn.



Heavy sprung latch follower suitable for all lever furniture including unsprung levers.



Available in two finishes.
- Satin stainless steel
- Polished brass (pictured)

57mm centre bathroom sashlock, with a 5mm turn follower, available in two backsets.

Finish	Case	Backset	Prod Code
Polished Brass	68mm	45mm	LIM501
	81mm	57mm	LIM503
Stainless Steel	68mm	45mm	LIM500
	81mm	57mm	LIM502

British Sized Locks - Tubular Latch



Tubular mortice latch for doors subject to a medium frequency of normal use.
Suitable for most residential environments.



Heavy sprung latch follower suitable for all lever furniture including unsprung levers.



Comes complete with forend and striker in both finishes



- Satin stainless steel
- Polished brass (pictured)

Mortice latch available in two backsets.

Finish	Case	Backset	Prod Code
Both	70mm	45mm	LIMU002
	82mm	57mm	LIMU004

British Sized Locks - Rebate Kits



Rebate kits for our British sized lock range.

Suitable for most residential and light commercial environments and for use with our Strong-Bolt range of British sized lock cases in this chapter only.

Available in two finishes.

- Satin stainless steel (pictured)
- Polished brass


Available for 13mm or 25mm rebates.

Please note the use of a rebate kit invalidates the fire test for the lock, but not its CE markings or classifications under EN12209 or BS3621.


Lock Type	Finish	Rebate	Prod Code
Dead Lock	Gold	13mm	RCU013PB
		25mm	RCU025PB
	Silver	13mm	RCU013SC
		25mm	RCU025SC
Sash Lock	Gold	13mm	RCU113PB
		25mm	RCU125PB
	Silver	13mm	RCU113SC
		25mm	RCU125SC

British Sized Locks


Euro Profile



British Oval Profile





BS3621




British Sized Locks

3 Lever




British Sized Locks


Bathroom



Latch



Latches



Good quality box latch suitable for most residential and commercial environments.

Available in two backsets.



Available in two finishes.



- Satin stainless steel
- Satin brass


Rebate kits available.



Finish	Dim A	Dim B	Prod Code
Satin Brass	63mm	45mm	LIM02009
	76mm	57mm	LIM02010
Stainless Steel	63mm	45mm	LIM02012
	76mm	57mm	LIM02011

Rebate	Prod Code
13mm Silver	LIM918
13mm Gold	LIM919

Latches



Good quality tubular latch suitable for most residential environments.

Long backsets associated with mortice knobs.



Standard sprung to make operating mortice knobs easier. Heavy sprung version also available for lever sets.



Available in four backsets.

Available in two finishes.



- Satin stainless steel
- Satin brass

Rebate kits available.

Finish	Dim A	Dim B	Prod Code Std Sprung	Prod Code Heavy Sprung
Satin Brass	80mm	60mm	LIM016B	LIM009
	100mm	75mm	LIM017B	LIM011
	127mm	100mm	LIM018B	LIM013
	151mm	130mm	LIM019B	LIM015
Satin Stainless Steel	80mm	60mm	LIM016S	LIM008
	100mm	75mm	LIM017S	LIM010
	127mm	100mm	LIM018S	LIM012
	151mm	130mm	LIM019S	LIM014

Rebate	Prod Code
13mm Silver	LIM924
13mm Gold	LIM925

Latches



A budget tubular latch suitable for residential environments.

Available in two backsets.

Available in two finishes.

- Electro brass plated
- Bright nickel plated

Rebate kits available.

Finish	Case	Backset	Prod Code
Electro brass	63mm	45mm	LC02
	76mm	57mm	LC04
Nickel plate	63mm	45mm	LC11
	76mm	57mm	LC13


Rebate	Prod Code
13mm Silver	RC001
13mm Gold	RC002



1



2




Description	Finish	Prod Code
(1) Tubular Roller Latch	Nickel Plate	CJ015
	Electro Brass	CJ020
(2) Box Roller Latch	Satin Stainless Steel	CJ010

Listed Range

We offer a range of lock cases specifically designed for period and listed buildings. Please ask for details.



Bathroom Dead Locks



Heavy duty bathroom deadlock for doors expecting heavy use.



Available in 8mm spindle diameter only



Available in satin stainless steel finish.




Spindle	Finish	Prod Code
8mm	Satin Stainless Steel	LIM072-8

Rebate	Prod Code
13mm Silver	LIM906



Description	Prod Code
8mm-5mm Spindle Converter	SPINSLEEVE

Bathroom Dead Locks




Good quality bathroom deadlock for doors subject medium frequency use, such as residences, smaller offices and B&Bs.

Available in two spindle diameters

Available in two finishes.

- Satin stainless steel
- Satin brass

Spindle	Finish	Dim A	Dim B	Prod Code
8mm	Stainless	76mm	57mm	LIM070-8
5mm	Brass			LIM071
	Stainless			LIM070




Tubular bathroom deadlock for doors subject medium frequency use, such as residences, smaller offices and B&Bs.

Backset is 57mm. Spindle diameter is 5mm. Available in two finishes.

- Electro brass plated
- Bright nickel plated

Finish	Prod Code
Brass	LIM071-TUB5
Nickel	LIM070-TUB5

Sliding Door Locks - External



Scandinavian hook lock for doors subject to frequent usage.

Suitable for any environment, but particularly suitable for sliding or folding doors in very high traffic areas and doors potentially subject to violent usage or perimeter doors.

Standard and high security versions available.

Available in satin chrome plate finish.


Available in 50mm backset.

This lock utilises Scandinavian Oval Cylinders.

A strike plate may be required for timber doors, this is ordered seperately.

Description	Prod Code
Standard Security	MOC1020
High Security	MOC1020HS
Strike Plate	MOC1020ST

Sliding Door Locks - Internal



Splay lock for sliding doors subject to medium frequency use.

Suitable for internal sliding or folding doors.

Aavailable in 3 formats:

- Euro Profile (line drawing)
- 5 lever (image)
- Bathroom (5mm spindle)

Dimension A is 76mm, B is 57mm.

Available in two finishes.

- Satin stainless steel
- Satin brass

Function	Finish	Prod Code
Euro Profile	Satin Brass	LIM
	Stainless Steel	LIM
5 Lever	Satin Brass	LIM
	Stainless Steel	LIM
Bathroom (5mm spindle)	Satin Brass	LIM
	Stainless Steel	LIM

Multipoint Locks - Single Leaf



Euro profile multi point locks for residential and light commercial door applications.

Available in two versions.





- Hook bolt version
- Linear bolt version


These locks utilise Euro Profile (DIN) cylinders.

The keep set Product Codes given in the matrix below are for all the appropriate keep components for a 44-56mm thick door. The individual elements can be ordered separately.

Type	Prod Code
Hook Bolt Lock	MPLZ222F
Linear Bolt Lock	MPLZ222LIN
3 Point Keep Set	MPLZ222-3P
5 Point Keep & Accessory Set	MPLZ222-5P

Multipoint Locks - Single Leaf





Euro profile multi point locks for residential and light commercial door applications.

Passive leaf lock and active leaf lock interlock with the passive leaf's lock forming the receiver for the active leaf's bolts.


The passive leaf's lock also throws the shootbolts to secure that leaf.

Available as hook bolt version for double doors only.

The complete Product Code given in the matrix below is for all the appropriate components for a double door lock set, excluding cylinders and levers.

These locks utilise Euro Profile (DIN) cylinders.

Type	Prod Code
Passive Leaf Lock	MPLZ444B
Active Leaf Lock	MPLZ444A
Complete Set	MPLZ444-KIT



Multipoint Locks - Scandinavian



ASSA
ASSA ABLOY



Scandinavian high security multipoint lock for doors potentially subject to violent usage.

Suitable for any environment, but particularly suitable for perimeter and security doors.

Deadbolt is thrown or retracted by a 360° turn of the key or thumbturn.

Heavy sprung latch follower suitable for unsprung lever on rose only as the handle needs to be raised to engage the hook bolts..

Available in bright zinc plated finish.


Available in 50mm backset.

This lock utilises Scandinavian Oval cylinders.

Comes complete with all necessary strike plates and keeps.

Prod Code
MPLZ2025

Multipoint Locks - Scandinavian



Rim Night Latch



Good quality, rim nightlatch for residential doors subject to medium frequency use.

Available in two backsets


- 40mm (small picture)
- 60mm (main picture)

Available in four finishes.

- Dark metal grey powder coat - DMG (main picture)
- Polished chrome (small picture)
- Satin Chrome
- Polished brass

These nightlatches utilise rim cylinders and can be incorporated into a master system.

Rim Night Latch



Dimension B	Case Finish	Cylinder Finish	Prod Code
40mm	DMG	Satin Chrome	NL79
	DMG	Polished Brass	NL80
	Polished Brass	Polished Brass	NL81
	Polished Chrome	Polished Chrome	NL815
	Satin Chrome	Satin Chrome	NL813
	DMG	N/A Case only	NL817
	DMG Reverse Bolt	N/A Case only	NL940
60mm	DMG	Satin Chrome	NL825
	DMG	Polished Brass	NL82
	Polished Brass	Polished Brass	NL83
	Polished Chrome	Polished Chrome	NL835
	Satin Chrome	Satin Chrome	NL834
	DMG	N/A Case only	NL837
	DMG Reverse Bolt	N/A Case only	NL839

Digital Mechanical Lock - Unican



Digital lock for doors subject to a high frequency of use.

Available in satin chrome plate finish, and polished brass finish to special order.

Can be used on fire doors with an optional intumescent kit.

Lever design in accordance with Approved Document B.


Free-flow function.

For doors 35-57mm thick.

Comes complete with all necessary fixings.

Key over-ride version is available.

This product is handed.



Hand	Prod Code
Left	UNI1011LSC
Right	UNI1011RSC

Digital Mechanical Lock - Unican



Digital lock for doors subject to a high frequency of use.

Available in satin chrome plate finish, and polished brass finish to special order.

Can be used on fire doors with an optional intumescent kit.

For doors 35-57mm thick.

Comes complete with all necessary fixings.

Prod Code
DIG650

Electro-Mechanical Lock



- Electronic digital lock for doors subject to a high frequency of use.
- Available in satin stainless steel finish.
- Can be used on fire doors with an optional intumescent kit.
- Lever design in accordance with Approved Document B.
- Free-flow function.
- For doors 35-57mm thick.
- Comes complete with all necessary fixings.
- Key over-ride as standard.
- Suitable for internal or external applications.
- Access via this product can be gained with a Mifare card, a phone app as well as standard PIN entry.
- The access authorisations are managed via the app and an audit trail is also available via the app.

Prod Code
DIG177

Digital Mechanical Lock - Heavy Duty



- Digital lock for doors subject to high frequency of use.
- Available in satin chrome plate finish.
- Tested for use on fire doors.
- Lever design in accordance with Approved Document B.
- Salt spray tested to EN1670 for 240 minutes.
- Free-flow function.
- For doors 35-65mm thick.
- Comes complete with black neoprene gasket and all necessary fixings.
- Key over-ride and code change via key as standard.

Prod Code
DIG176

Digital Mechanical Lock - Medium Duty



Digital lock for doors subject to a medium frequency of careless use.

Available in satin chrome plate finish.

Tested for use on fire doors.

Lever design in accordance with Approved Document B.

Salt spray tested to EN1670 for 240 minutes.

Free-flow function.

For doors 35-65mm thick.

Comes complete with black neoprene gasket and all necessary fixings.

An alternative gasket is available that provides weather resistance and higher PIN security.

We can provide various functions such as key over-ride to this product, please see page 208 for more details.

This product can be incorporated into a master system.



Prod Code
DIG175-COV

Prod Code
DIG175

Digital Mechanical Lock - Light Duty



Digital lock for doors subject to a low frequency of careful use.

Available in polished brass or satin chrome plate finish.

Tested for use on fire doors.

Salt spray tested to EN1670 for 240 minutes.

For doors 35-65mm thick.

Hold-back version available.

Comes complete with black neoprene gasket and all necessary fixings.

Function	Finish	Prod Code
Hold-back	Chrome	DIG056
	Brass	DIG108

Cylinder Systems - WT10



Our most popular medium security cylinder range.

Suitable for residential, offices, schools, hotels etc

A 10 pin range with 19,000 useable differs, unauthorised key duplication is prevented by restriction of the key profile.

This cylinder range is resistant to picking and manipulation and has anti-drill pins and features. Key duplication restriction is standard.

This range has good master keying capabilities and is suitable for small to medium sized master systems up to 300 doors.

Available in three finishes.

- Polished brass
- Satin chrome
- Polished chrome
- Black Nickel


Security rating is to EN1303 Security Grade 6-2

The cylinders and turns in this range can be altered from the standard turn to those shown on the opposite page.


Cylinder Systems - WT10




Range of alternative turns.



Cylinder Systems - WT10




B	C	A	Prod Code
32mm	32mm	64mm	EDC3232-X
	40mm	72mm	EDC3240-X
	50mm	82mm	EDC3250-X
35mm	35mm	70mm	EDC3535-X
	40mm	75mm	EDC3540-X
	45mm	80mm	EDC3545-X
	50mm	85mm	EDC3550-X
	55mm	90mm	EDC3555-X
40mm	40mm	80mm	EDC4040-X
	45mm	85mm	EDC4045-X
	50mm	90mm	EDC4050-X
	60mm	100mm	EDC4060-X
45mm	45mm	90mm	EDC4545-X
	50mm	95mm	EDC4550-X
	55mm	100mm	EDC4555-X
50mm	50mm	100mm	EDC5050-X



B	C	A	Prod Code
32mm	10mm	42mm	ESC42-X
36mm		46mm	ESC46-X
40mm		50mm	ESC50-X
45mm		55mm	ESC55-X


Cylinder Systems - WT10




B	C	A	Prod Code
32mm	32mm	64mm	ECT3232-X
	40mm	72mm	ECT3240-X
35mm	35mm	70mm	ECT3535-X
	45mm	80mm	ECT3545-X
40mm	32mm	82mm	ECT4032-X
	40mm	80mm	ECT4040-X
	50mm	90mm	ECT4050-X
	60mm	100mm	ECT4060-X
45mm	35mm	80mm	ECT4535-X
	45mm	90mm	ECT4545-X
	50mm	95mm	ECT4550-X
50mm	40mm	90mm	ECT5040-X
	45mm	95mm	ECT5045-X
	50mm	100mm	ECT5050-X
60mm	40mm	100mm	ECT6040-X



Cylinder Systems - WT10




B	C	A	Prod Code
32mm	32mm	64mm	ODC3232-X
35mm	35mm	70mm	ODC3535-X
40mm	40mm	80mm	ODC4040-X



B	C	A	Prod Code
32mm	10mm	42mm	OSC42-X
36mm		46mm	OSC46-X

Cylinder Systems - WT10




B	C	A	Prod Code
32mm	32mm	64mm	OCT3232-X
35mm	35mm	70mm	OCT3535-X
40mm	40mm	80mm	OCT4040-X



Prod Code
KEY1




Cylinder Systems - WT10



Round profile universal cylinder, comes as standard with a tail to operate a “Yale” type night latch.

Also comes with a a cam for threaded ANSI type lock cases and is compatible with both types of lock case.


Prod Code
URC25-X



Padlocks with a hardened steel shackle and satin chrome plate finish.

Shackle	Prod Code
Open	PAD47WT10
Closed	PAD55WT10

Cylinder Systems - 5 Pin



A low cost euro profile cylinder for internal doors only and where master suiting is not required.

Available in four formats, double cylinder, single cylinder, cylinder and turn and turn only.

Available in satin chrome finish.

Security rating is to EN1303 Security Grade 3-0.

Please note we can master-suite and key-alike this range, but the lack of key duplication protection makes it less advisavble to do so.

Type	B	C	A	Prod Code
Double Cylinder	35mm	35mm	70mm	LLC41
	40mm	40mm	80mm	LLC43
Cylinder & Turn	35mm	35mm	70mm	LLC51
	40mm	40mm	80mm	LLC53
Single Cylinder	10mm	35mm	45mm	LLC11
		40mm	50mm	LLC13
Blind Turn	10mm	35mm	45mm	LLC31

Cylinder Systems - Key Profiles



Pro Range cylinders and locking solutions provides the ultimate choice and security, it offers over 1,900,000,000 useable differs, and utilises an extremely strong and hard wearing 2.5mm nickel silver key. It is suitable for very large and complex master systems and no key differ is ever duplicated internationally.

Available as a purely mechanical option, or with an electro-magnetic element for buildings, or areas of buildings, which require the highest available level of key security. Keys are protected by international patents. The electro magnetic element can be incorporated into an existing mechanical system either at concept or retrospectively.

This system offers the largest range of locking applications in our catalogue, making it suitable for any type of building or security requirement including national museums, fine art galleries, cash storage facilities and banks.



VHS Range cylinders and locking solutions for buildings with very high security requirements. It offers over 1,900,000,000 useable differs, and utilises an extremely strong and hard wearing 2.8mm nickel silver key. It is suitable for very large and complex master systems.

This range has a comparable level of mechanical security to our Pro Range, but it does not have an electro-magnetic option. Keys are protected by international patents.

This system offers extremely high key security with the option for larger sites/users to have their own unique key profile for complete control over key duplication. Ideal for large, sensitive sites such as military, petro-chemical works and cross-regional infra-structure sites and depots.

Cylinder Systems - Key Profiles



HS Range cylinders and locking solutions for buildings with high security requirements, it offers 250,000 useable differs and utilises an extremely strong and hard wearing 2.8mm nickel silver key. It is suitable for very large and complex master systems.

This range has a comparable level of mechanical security to our VHS Range although it does not have the option for a site or user to have a unique key profile. Keys are protected by international patents.

Key duplication restriction is very high and this makes this system suitable for large businesses, buildings with large stocks and cash, dwellings with fine art, infrastructure etc.



MS Range cylinders and locking solutions for buildings with medium security requirements, it offers 29,000 useable differs and utilises a very strong and hard wearing 2.5mm nickel silver key. It is suitable for medium sized master systems up to 500 doors.

This range has exactly the same level of key duplication security as our HS Range, although it has lower physical security elements such as anti-drill pins. Keys are protected by international patents.

This system is an excellent choice for buildings such as hospitals, schools and community centres etc, where physical security is of lesser importance but unauthorised key duplication restriction is highly desirable.



WT10 Range (pages 48-54) cylinders and locking solutions for buildings with medium security requirements, it offers 19,000 useable differs and utilises a strong and hard wearing 2mm nickel silver key. It is suitable for small to medium sized master systems up to 300 doors.

This range has physical security in between our HS and MS ranges, however the key profile is only restricted by availability rather than protected by international patents. The padlocks to this system are not security tested.

A robust, cost effective locking system with decent key restriction and high physical security. A good option for private dwellings, offices, warehouses etc

Cylinder Systems - Cylinder Profiles



Scandinavian Oval Profile Cylinders. A very high security cylinder for use with our Scandinavian locks.

Available on key types PRO, VHS, HS, MS.



Finnish Round Profile Cylinders.

A very high security cylinder for use with Finnish Profile locks.

Available on key types PRO.



ANSI Profile Cylinders. A high security cylinder for use with ANSI Profile locks. Round threaded, normally on aluminium doors.

Available on key types PRO, VHS, HS, MS, WT10.



Rim Cylinders. A medium-high security cylinder for use with Yale type nightlatches.

Available on key types PRO, VHS, HS, MS, WT10.

Cylinder Systems - Cylinder Profiles



Euro Profile (DIN) Cylinders. A low to high security cylinder, dependent on its features, for use with Euro Profile locks. We often refer to this type of cylinder as a DIN cylinder.

Available on key types PRO, VHS, HS, MS, WT10.



British Oval Profile Cylinders. A low-medium security cylinder for use with British Oval Profile locks.

Available on key types VHS, HS, MS, WT10.

Padlocks. Medium to extremely high security for the locking of gates, containers and plant etc.

Available on key types PRO, VHS, HS, MS, WT10.





W T Lynn Ltd
Navigation Road
Burslem
Stoke on Trent
ST6 3RU

Tel: 01782 834818
Fax: 01782 825856
Email: sales@wtlynn.co.uk

