



# **Architectural Ironmongery Catalogue**

## **Door Furniture**

### **Stainless Steel**





This symbol denotes a product that has been successfully tested to EN1634-1:2008 for use on 30 minute fire and smoke doors.

Please be aware that certain products will require the use of an additional intumescent product if fitted to a 30 minute fire door. Please request this information as necessary.



This symbol denotes a product that has been successfully tested to EN1634-1:2008 for use on 60 minute fire and smoke doors. It is **not** implicit that a 60 minute rated product has been tested as suitable for use on a 30 minute fire door, the 30 and 60 minute tests are carried out independently of one another.

Please be aware that certain products will require the use of an additional intumescent product if fitted to a 60 minute fire door. Please request this information as necessary.



**Approved Document M** makes specific requirements for the dimensions and format of certain products used on doors. This symbol denotes a product that meets the dimensional and format requirements of Approved Document M, BS8300 and The Equality Act 2010.



This symbol indicates the length of time (in years) that the product is guaranteed for as standard.

Guarantees are manufacturer's.

Finishes

PSS	Available in Polished Stainless Steel
SSS	Available in Satin Stainless Steel
PSS   SSS	Available in Polished Stainless Steel <b>or</b> Satin Stainless Steel
PSS/SSS	A dual finish of Polished Stainless Steel <b>and</b> Satin Stainless Steel on the same product

Contents	Page Numbers
Symbols & Finishes	2
Lever Ranges	
55/2 Range	4-15
52/4 Range	16-17
52/8 Range	18-31
Lever on Plate	32-36
Pull Handles	37-41
Push & Kick Plates	42-43
Angle	
Accessories	
Bolts	44-45
Cabin Hooks	46
Cylinder Pull	46
Flush Pulls	47
Hat & Coat Hooks	48-50
Handrail Brackets	50
Disc Signs	51
Door Stops	52-53
Entrance Door	
Knockers	56
Viewers	56
Centre Knobs	57
Door Bells	57
Signage	
Satin Stainless Steel Effect	58-60
Tactile	61
Acrylic	62
Letters & Numerals	63-64
Custom Work	65

Stainless Steel Levers - 55/2 Range



A very slim rosed and attractive range of lever furniture and accessories manufactured from grade 316 satin stainless steel. Suitable for residential or commercial environments.

Each lever style is available with a square or round rose.

Accessories are available either square or round.

The “Basics” (opposite) for public buildings and offices etc where the DDA and BS8300 are applicable are shown on the opposite page.

Designed levers are on the subsequent pages.

Stainless Steel Levers - 55/2 Range



SSS



Rose	Proj.	Length	EN1906	Prod Code
55x2mm Round	68mm	141mm	Grade 3	DFSQ020-R



SSS

Description	Unit	Prod Code
Blank	Pairs	ESSQ01-R
Keyway		ESSQ02-R
Euro Profile		ESSQ05-R



SSS

Description	Prod Code
Standard	IBSQ01-R
Disabled	IBSQ02-R




Disabled version

## Stainless Steel Levers - 55/2 Range




SSS



Rose	Proj.	Length	EN1906	Prod Code
55x2mm Round	68mm	141mm	Grade 3	DFSQ020-R
53x2mm Square				DFSQ020-SQ



SSS




Rose	Proj.	Length	EN1906	Prod Code
55x2mm Round	59mm	125mm	Grade 3	DFSQ022-R
53x2mm Square				DFSQ022-SQ

## Stainless Steel Levers - 55/2 Range




SSS



Rose	Proj.	Length	EN1906	Prod Code
55x2mm Round	69mm	143mm	Grade 3	DFSQ021-R
53x2mm Square				DFSQ021-SQ



SSS




Rose	Proj.	Length	EN1906	Prod Code
55x2mm Round	68mm	138mm	Grade 3	DFSQ023-R
53x2mm Square				DFSQ023-SQ



## Stainless Steel Levers - 55/2 Range




SSS



Rose	Proj.	Length	EN1906	Prod Code
55x2mm Round	56mm	129mm	Grade 3	DFSQ0204-R
53x2mm Square				DFSQ024-SQ



SSS




Rose	Proj.	Length	EN1906	Prod Code
55x2mm Round	58mm	125mm	Grade 3	DFSQ026-R
53x2mm Square				DFSQ026-SQ

## Stainless Steel Levers - 55/2 Range




SSS



Rose	Proj.	Length	EN1906	Prod Code
55x2mm Round	60mm	137mm	Grade 3	DFSQ025-R
53x2mm Square				DFSQ025-SQ



SSS




Rose	Proj.	Length	EN1906	Prod Code
55x2mm Round	62mm	132mm	Grade 3	DFSQ027-R
53x2mm Square				DFSQ027-SQ

## Stainless Steel Levers - 55/2 Range



SSS




Rose	Proj.	Length	EN1906	Prod Code
55x2mm Round	59mm	123mm	Grade 3	DFSQ028-R
53x2mm Square				DFSQ028-SQ

## Stainless Steel Levers - 55/2 Range




SSS




Rose	Proj.	Length	EN1906	Prod Code
55x2mm Round	64mm	121mm	Grade 3	DFSQ029-R
53x2mm Square				DFSQ029-SQ



SSS



Rose	Proj.	Length	EN1906	Prod Code
55x2mm Round	60mm	122mm	Grade 3	DFSQ030-R
53x2mm Square				DFSQ030-SQ




SSS

Rose	Proj.	Length	EN1906	Prod Code
55x2mm Round	57mm	125mm	Grade 3	DFSQ031-R
53x2mm Square				DFSQ031-SQ

## Stainless Steel Levers - 55/2 Range




SSS



Rose	Proj.	Length	EN1906	Prod Code
55x2mm Round	68mm	141mm	Grade 3	DFSQ032-R
53x2mm Square				DFSQ032-SQ




SSS




Rose	Proj.	Length	EN1906	Prod Code
55x2mm Round	68mm	141mm	Grade 3	DFSQ034-R
53x2mm Square				DFSQ034-SQ

## Stainless Steel Levers - 55/2 Range




SSS



Rose	Proj.	Length	EN1906	Prod Code
55x2mm Round	68mm	141mm	Grade 3	DFSQ033-R
53x2mm Square				DFSQ033-SQ



## Stainless Steel Levers - 55/2 Range



Dimesions	Description	Prod Code
55x2mm Round	Blank	ESSQ01-R
	Keyway	ESSQ02-R
	Euro Profile (DIN)	ESSQ05-R



Dimesions	Description	Prod Code
53x2mm Square	Blank	ESSQ01-SQ
	Keyway	ESSQ02-SQ
	Euro Profile (DIN)	ESSQ05-SQ

## Stainless Steel Levers - 55/2 Range



5mm Spindle



Equality

Dimesions	Description	Prod Code
55x2mm Round	Standard	IBSQ01-R
	Equality	IBSQ02-R



5mm Spindle

Dimesions	Description	Prod Code
53x2mm Square	Standard	IBSQ01-SQ
	Equality	IBSQ02-SQ



Stainless Steel Levers - 52/4 Range



A slim rosed return-to-door lever furniture and accessories range manufactured from grade 304 satin stainless steel.

Suitable for public buildings, shops, commercial offices and factories where the DDA and BS8300 are applicable.

Levers are unsprung and have 38mm fixing centres for DIN locks and 30mm fixing centres for Scandinavian Locks.



Stainless Steel Levers - 52/4 Range



Rose	Proj.	Length	EN1906	Prod Code
52x4mm	72mm	135mm	Grade 3	DFS080



Description	Unit	Prod Code
Blank	Each	ESS81
Keyway		ESS82
Euro Profile (DIN)		ESS85



Spindle	Prod Code
5mm	IBS82

# Stainless Steel Levers - 52/8 Range



A range of lever furniture and accessories manufactured from grade 316 or 304 stainless steel. Suitable for residential or commercial environments.

The “Basics” (opposite) for public buildings, shops, commercial offices and factories where the DDA and BS8300 are applicable are shown on the opposite page.

This “Basics” Range (opposite) is a reasonably priced range specially sourced by us, it is extremely robust and has a range of details that elevate it above most commercial door furniture in this price range.

- Grade 304 stainless steel
- Stainless steel sub-rose
- Stainless steel grub screws
- Heavily sprung
- Brass bushes.

The bathroom turn (opposite) is solid stainless steel and benefits from a robust 8mm spindle compatible with all of our commercial grade locks.

The escutcheons are manufactured from grade 316 stainless steel and benefits from a stainless steel sub rose.

Designed levers to suit aesthetic requirements are on the subsequent pages and have differing specifications.



# Stainless Steel Levers - 52/8 Range



PSS | SSS



Rose	Proj.	Length	EN1906	Prod Code
52x8mm	xmm	xmm	Grade 3	DFS020-3

PSS | SSS



Description	Unit	Prod Code
Blank	Each	ESS01
Keyway		ESS02
Euro Profile (DIN)		ESS05
British Oval Profile		ESS06

SSS



Spindle	Prod Code
8mm*	IBS02

\*Comes c/w 5mm adaptor kit and 5mm spindle.



## Stainless Steel Levers - 52/8 Range

SSS



Rose	Proj.	Length	EN1906	Prod Code
52x7mm	68mm	124mm	Grade 3	DFS605-SSS

SSS



Rose	Proj.	Length	EN1906	Prod Code
52x7mm	64mm	135mm	Grade 3	DFS606-SSS

PSS | SSS



Rose	Proj.	Length	EN1906	Prod Code
52x7mm	65mm	135mm	Grade 3	DFS607

## Stainless Steel Levers - 52/8 Range

SSS



Rose	Proj.	Length	EN1906	Prod Code
52x7mm	61mm	128mm	Grade 3	DFS608-SSS

SSS



Rose	Proj.	Length	EN1906	Prod Code
52x7mm	58mm	120mm	Grade 3	DFS609-SSS

SSS



Rose	Proj.	Length	EN1906	Prod Code
52x7mm	60mm	125mm	Grade 3	DFS610-SSS

## Stainless Steel Levers - 52/8 Range



SSS



Rose	Proj.	Length	EN1906	Prod Code
52x7mm	57mm	125mm	Grade 3	DFS611-SSS



SSS



Rose	Proj.	Length	EN1906	Prod Code
52x7mm	60mm	127mm	Grade 3	DFS612-SSS



SSS



Rose	Proj.	Length	EN1906	Prod Code
52x7mm	64mm	133mm	Grade 3	DFS613-SSS

## Stainless Steel Levers - 52/8 Range



SSS



Rose	Proj.	Length	EN1906	Prod Code
52x7mm	71mm	132mm	Grade 3	DFS614-SSS



SSS



Rose	Proj.	Length	EN1906	Prod Code
52x7mm	62mm	127mm	Grade 3	DFS621-SSS



SSS



Rose	Proj.	Length	EN1906	Prod Code
52x7mm	58mm	134mm	Grade 3	DFS616-SSS



## Stainless Steel Levers - 52/8 Range

PSS | SSS



Rose	Proj.	Length	EN1906	Prod Code
52x7mm	54mm	132mm	Grade 3	DFS617

PSS | SSS



Rose	Proj.	Length	EN1906	Prod Code
52x7mm	67mm	134mm	Grade 3	DFS618

PSS | SSS



Rose	Proj.	Length	EN1906	Prod Code
52x7mm	68mm	126mm	Grade 3	DFS619

## Stainless Steel Levers - 52/8 Range

PSS | SSS



Rose	Proj.	Length	EN1906	Prod Code
52x7mm	65mm	133mm	Grade 3	DFS623

SSS



Rose	Proj.	Length	EN1906	Prod Code
52x7mm	65mm	128mm	Grade 3	DFS626-SSS

PSS/SSS | SSS



Rose	Proj.	Length	EN1906	Prod Code
52x7mm	65mm	137mm	Grade 3	DFS625

## Stainless Steel Levers - 52/8 Range



PSS/SSS



Rose	Proj.	Length	EN1906	Prod Code
52x7mm	62mm	135mm	Grade 3	DFS601-DUO



PSS/SSS



Rose	Proj.	Length	EN1906	Prod Code
52x7mm	62mm	136mm	Grade 3	DFS604-DUO



PSS/SSS



Rose	Proj.	Length	EN1906	Prod Code
52x7mm	53mm	134mm	Grade 3	DFS602-DUO

## Stainless Steel Levers - 52/8 Range



PSS/SSS | SSS



Rose	Proj.	Length	EN1906	Prod Code
52x7mm	61mm	128mm	Grade 3	DFS624



PSS/SSS



Rose	Proj.	Length	EN1906	Prod Code
52x7mm	72mm	133mm	Grade 3	DFS603-DUO



PSS/SSS



Rose	Proj.	Length	EN1906	Prod Code
52x7mm	65mm	140mm	Grade 3	DFS620-DUO

## Stainless Steel Levers - 52/8 Range



PSS/SSS



Rose	Proj.	Length	EN1906	Prod Code
52x7mm	62mm	135mm	Grade 3	DFS601-DUO



PSS/SSS



Rose	Proj.	Length	EN1906	Prod Code
52x7mm	62mm	136mm	Grade 3	DFS604-DUO



PSS/SSS



Rose	Proj.	Length	EN1906	Prod Code
52x7mm	53mm	134mm	Grade 3	DFS602-DUO

## Stainless Steel Levers - 52/8 Range



SSS



Rose	Proj.	Length	EN1906	Prod Code
52x7mm	62mm	135mm	Grade 3	DFS633-SSS



PSS/SSS



Rose	Proj.	Length	EN1906	Prod Code
52x8mm	65mm	127mm	Grade 3	DFS639



SSS



Rose	Proj.	Length	EN1906	Prod Code
52x8mm	66mm	128mm	Grade 3	DFS641-SSS



## Stainless Steel Levers - 52/8 Range

PSS/SSS | PSS | SSS



Description	Unit	Prod Code
Blank	Each	ESS61
Keyway		ESS62
Euro Profile (DIN)		ESS65
British Oval Profile		ESS66

PSS/SSS | PSS | SSS



Description	Prod Code
Standard with Indicator	IBS61
Standard without Indicator	IBS612
Disabled with Indicator	IBS62
Disabled without Indicator	IBS623

See also IBS02 on page 19

## Stainless Steel Levers - 52/8SK Range

SSS



Rose	Proj.	Length	EN1906	Prod Code
52x8mm	66mm	128mm	-	DFSK01-SSS

SSS



Rose	Proj.	Length	EN1906	Prod Code
52x8mm	66mm	135mm	-	DFSK02-SSS

SSS



Description	Prod Code
Turn & Release with Indicator	IBSK01-SSS
Turn & Release without Indicator	IBSK02-SSS
Euro Profile Escutcheon	ESSK05-SSS
Keyway Escutcheon	ESSK02-SSS



# Stainless Steel - Levers on Plate



A range of lever-on-plate door furniture manufactured from grade 316 or 304 stainless steel.

Suitable for residential or light commercial environments.

Please note for public and commercial buildings: The Building Regs requires door furniture that is used on fire doors with door closers acting on them to be “bolted through” the door. As lever on plate furniture is rarely bolted through doors it is generally unsuitable for doors designated FDKS.

The lever on plate marked as having fire tests are, however suitable for fire doors in residential buildings, and certain fire doors in buildings that do not have door closers fitted to them.

# Stainless Steel - Levers on Plate



Backplate	Proj.	Length	Description	Prod Code
165x44x10mm	77mm	141mm	Latch (pictured)	DFS021
			Keyway	DFS022
			Bathroom	DFS023
			Euro Profile 47.5mm	DFS025
			British Oval Profile	DFS026



Backplate	Proj.	Length	Description	Prod Code
162x162x2mm	65mm	135mm	Latch	DFS061
			Bathroom 78mm	DFS063
			Euro Profile 72mm	DFS065

## Stainless Steel - Levers on Plate

PSS | SSS



Description	Prod Code
Latch	DFS211
Keyway	DFS212
Bathroom	DFS213
Euro Profile 47.5mm	DFS215

PSS | SSS



Description	Prod Code
Latch	DFS221
Keyway	DFS222
Bathroom	DFS223
Euro Profile 47.5mm	DFS225

## Stainless Steel - Levers on Plate

PSS | SSS



Description	Prod Code
Latch	DFS231
Keyway	DFS232
Bathroom	DFS233
Euro Profile 47.5mm	DFS235

PSS/SSS



Description	Prod Code
Latch	DFS241
Keyway	DFS242
Bathroom	DFS243
Euro Profile 47.5mm	DFS245



Stainless Steel - Levers on Plate



Return-to-door lever on plate for multi-point locks.

Manufactured from grade 316 satin stainless steel.

Backplate	Proj.	Length	Description	Prod Code
220x32x6mm	66mm	140mm	Euro Profile CC 92mm	PVC50SSS



Stainless Steel - Pull Handles



Pull handles and accessories manufactured from grade 316 or 304 satin stainless steel.

Available in bolt through format or back to back format.

Push plates are available and are on page 42.

We also manufacture plates to fit onto the pull side of the door with holes at the appropriate centres for each pull handle.

Stainless Steel - Pull Handles

PSS | SSS



D type bolt through pull handles manufactured from hollow grade 304 stainless steel.

Suitable for doors 35-60mm thick.


Finishes available are satin stainless steel and polished stainless steel.

Back to back versions are available.

Diameter	Fixing Centres	Prod Code
19mm	150mm	HPS106
	225mm	HPS109
	300mm	HPS112
	425mm	HPS117
	600mm	HPS124
25mm	300mm	HPS212
	425mm	HPS217
	600mm	HPS224
	900mm	HPS236
30mm	600mm	HPS324
	900mm	HPS336
	1200mm	HPS348
	1500mm	HPS360

Stainless Steel - Pull Handles

SSS



Mitred type bolt through pull handles manufactured from hollow grade 304 stainless steel.

Suitable for doors 35-60mm thick.

Finish is satin stainless steel.

Back to back versions are available.

Diameter	Fixing Centres	Prod Code
19mm	225mm	HPSM109
	300mm	HPSM112
	425mm	HPSM117
	600mm	HPSM124
25mm	300mm	HPSM212
	600mm	HPSM224
30mm	450mm	HPSM318
	600mm	HPSM324
32mm	900mm	HPSM336
	1200mm	HPSM448
	1500mm	HPSM460



Many other styles of pull handle are available.



Stainless Steel - Pull Handles

PSS | SSS



T-Bar type bolt through pull handles manufactured from hollow grade 304 stainless steel.  
Suitable for doors 35-60mm thick.


Finishes available are satin stainless steel and polished stainless steel.

Back to back versions are available.

Diameter	Overall	Fixing Centres	Prod Code
19mm	325mm	225mm	HPST001
	400mm	300mm	HPST002
	525mm	425mm	HPST003
	700mm	600mm	HPST004
	1070mm	900mm	HPST005
25mm	420mm	300mm	HPST006
	545mm	425mm	HPST007
	720mm	600mm	HPST008
	920mm	750mm	HPST009
	1070mm	900mm	HPST010
	1370mm	1200mm	HPST011
30mm	620mm	450mm	HPST012
	770mm	600mm	HPST013
	850mm	750mm	HPST014
	1070mm	900mm	HPST015
	1370mm	1200mm	HPST016
35mm	1670mm	1500mm	HPST017
	1370mm	1200mm	HPST018
	1670mm	1500mm	HPST019
	1970mm	1800mm	HPST020
	2200mm	2030mm	HPST021

Stainless Steel - Pull Handles

SSS




T-Bar type bolt through pull handles manufactured from hollow grade 304 stainless steel.

45 degree angle for offsetting the pull handle, either for aesthetic purposes on glazed doors, or to accomodate lock placement.

Suitable for doors 35-60mm thick.

Finish is satin stainless steel.

Back to back versions are available.



Diameter	Overall	Fixing Centres	Prod Code
32mm	600mm	400mm	HPST022
	1200mm	1000mm	HPST023
	1800mm*	1600mm	HPST024

\*3 legs

Stainless Steel - Push Plates

PSS | SSS



Our range of stock push plates in 1.2mm thick, grade 304 satin stainless steel.

Come as standard with square corners, drilled and countersunk, complete with screws.

For Radius corners suffic code with R, FGS02R etc.

Gauge	Dimensions	Prod Code
1.2mm	300x75mm	FGS01
	350x75mm	FGS02
	350x100mm	FGS03
	400x75mm	FGS04
	475x75mm	FGS05
	600x75mm	FGS06
	650x75mm	FGS07
	750x75mm	FGS08
	1000x75mm	FGS09
	1500x75mm	FGS10
	1800x75mm	FGS101



Our range of stock angle corner protection, manufactured from 1.2mm, Grade 304, satin stainless steel.

Comes as standard without screw holes for glue fix. Screw holes can be added if required.

Please note, custom sizes (i.e 50x75mm) are available upon request to a maximum length of 2000mm.

Please note the slight radius to the corner fold.

Dimensions	Prod Code
25x25x1000mm	SSAA25
38x38x1000mm	SSAA38
50x50x1000mm	SSAA50

Stainless Steel - Kickplates



Stock sized kickplates manufactured from 1.2mm thick grade 304 satin stainless steel.

Come as standard with square corners, drilled and countersunk and complete with screws.

Height	Length	Prod Code
150mm	400mm	SKP400
	425mm	SKP425
	450mm	SKP450
	475mm	SKP475
	500mm	SKP500
	525mm	SKP525
	550mm	SKP550
	575mm	SKP575
	600mm	SKP600
	625mm	SKP625
	650mm	SKP650
	675mm	SKP675
	700mm	SKP700
	725mm	SKP725
	750mm	SKP750
	775mm	SKP775
	800mm	SKP800
	825mm	SKP825
	850mm	SKP850
	875mm	SKP875
	900mm	SKP900
	925mm	SKP925
	950mm	SKP950
	1000mm	SKP999

**Push plates and kickplates are available in any size in the following variations.**

Max size: 2000mm

Thickness: 1.2mm, 1.5mm, 2.0mm and 3.0mm

Grades: 304 and 316.

Finish: Satin, polished and mirror polished.

Corners: Square or radius

Holes: Drilled and countersunk c/w screws, glue fix with no holes.



PSS | SSS



Radiused

Ends	Width	Length	Prod Code
Square	19mm	150mm	BFS01
		200mm	BFS02
		300mm	BFS02A
		600mm	BFS02B
Radiused	19mm	200mm	BFS02R



SSS

Description	Prod Code
Dust Proof Socket	BFS98



SSS

Description	Width	Length	Prod Code
Surface flush bolt	19mm	200mm	BFS03

PSS | SSS



Description	Width	Length	Prod Code
Straight	38mm	100mm	BBS00
		150mm	BBS01
		200mm	BBS02
Cranked	38mm	100mm	BBS20
		150mm	BBS21
		200mm	BBS22

SSS



Dimensions	Prod Code
68x42mm (Inside) 42x62mm (Outside)	IBS03





PSS | SSS



Length	Prod Code
100mm	CA082SSS
150mm	CA083SSS
200mm	CA084SSS



PSS | SSS



Description	Prod Code
Rim Cylinder (Nightlatch)	ESS21
Keyway	ESS22
Euro Profile	ESS25
British Oval Profile	ESS26

SSS



Diameter	Prod Code
52mm	DFS995

SSS



Faceplate	Prod Code
100x50mm	HPS707

SSS



Faceplate	Prod Code
90mm	HPS701

PSS | SSS



Description	Faceplate	Prod Code
Can operate an 8mm spindle	89x89mm	HPS706



Stainless Steel - Accessories

PSS | SSS



Description	Projection	Prod Code
Coat hook	30mm	HHS01
Hat & coat hook	62mm	HHS02
Buffered hat & coat hook	73mm	HHS03

PSS | SSS



Description	Height	Prod Code
Coat hook	175mm	HHS31
Hat & coat hook	70mm	HHS32

PSS | SSS



Height	Prod Code
150mm	HHS33

Stainless Steel - Accessories

SSS



Projection	Prod Code
77mm	HHS23

SSS



Projection	Prod Code
74mm	HHS34

SSS



Projection	Prod Code
47mm	HHS35

SSS



SSS



Projection	Prod Code
76mm	HHS21

SSS



Projection	Prod Code
57mm	HHS22

Projection	Prod Code
88mm	HHS36

Stainless Steel - Accessories



Rose is removable.

Projection	Prod Code
37mm	HHS24



Projection	Prod Code
40mm	HHS27



Description	Projection	Prod Code
Coat Hook Stop	76mm	DSS22COAT



Description	Projection	Prod Code
Handrail Bracket	76mm	HRS01



Stainless Steel - Disc Signs



PSS | SSS

76mm diameter disc signs manufactured from grade 304 satin stainless steel.

Screw fix as standard, comes complete with fixing screws

Symbol/Text	Prod Code
Male Symbol	SSS01
Female Symbol	SSS02
Disabled Symbol	SSS03
Unisex Symbol	SSS04
Push	SSS05
Pull	SSS06
WC	SSS07
Shower Symbol	SSS08
Baby Change Symbol	SSS09
Arrow Symbol	SSS10
Fire door keep shut	SSS11
Fire door keep locked	SSS13
Automatic fire door keep clear	SSS15
! Hold the handrail	SSS17
Caution door may open suddenly	SSS18
No Smoking Symbol	SSS19
Cleaner Symbol	SSS20
Telephone Symbol	SSS21



Stainless Steel - Door Stops

PSS | SSS




Projection	Prod Code
76mm	DSS22

PSS | SSS



Projection	Prod Code
76mm	DSS22A

SSS



Description	Projection	Prod Code
Coat Hook Stop	76mm	DSS22COAT

SSS



Diameter	Projection	Prod Code
30mm	65mm	DSS84

PSS | SSS



Diameter	Height	Prod Code
30mm	40mm	DSS55

PSS | SSS



Diameter	Height	Prod Code
30mm	40mm	DSS66

Stainless Steel - Door Stops

PSS | SSS



Diameter	Prod Code
44mm	DSS33

SSS



Diameter	Height	Prod Code
85mm	22.5mm	DSS87

SSS



Width	Length	Height	Prod Code
51mm (front) 29mm (rear)	60mm	38mm	DSS88

SSS





Plate	Projection	Hand	Prod Code
40x25x2mm	100mm	Left	DS9001L
		Right	DS9002R



## Stainless Steel - Entrance Door

PSS | SSS



Letter plate

Dimensions	Fixing Centres	Aperture	Prod Code
305x102mm	278mm	250x50mm	LPS01



Inner Flap

Dimensions	Prod Code
320x90mm	LPS21



SSS

Door Thickness	Prod Code
40-80mm	PVCF31SS

## Stainless Steel - Entrance Door

PSS | SSS



Letter plate



Inner Flap

Letter plate and inner flap system manufactured from grade 304 stainless steel.

The two sides bolt together for a robust and aesthetically pleasing letter plate. For commercial buildings and large houses.

Description	Dimensions	Fixing Centres	Aperture	Prod Code
Outer plate only	330x110mm	298x80mm	250x50mm	LPS03
Inner plate only				LPS23
Outer & inner plate & Fixings				LPS26

## Stainless Steel - Entrance Door



PSS | SSS



SSS



Dimensions	Fixing Centres	Prod Code
167x40mm	128.5mm	DAB013

Dimensions	Fixing Centres	Prod Code
150x38mm	122.5mm	DAB014

PSS | SSS



Viewing Angle	Door Thickness	Prod Code
200°	35-60mm	DAB041
Extension Piece*	60-100mm	DAB041EXT
180°	35-60mm	DAB041SAA**

\*Extension piece is for DAB041 only.

\*\*DAB041SAA is FD30 only and is satin chrome finish.

## Stainless Steel - Entrance Door

SSS



Diameter	Proj.	Prod Code
76mm	75mm	DAB016B

PSS | SSS



Diameter	Proj.	Prod Code
70mm	70mm	DAB016

SSS



Can be engraved

Dimensions	Prod Code
1 gang	DAB031A

PSS | SSS



Dimensions	Plate Thick.	Prod Code
64x30mm	8mm	DAB031

Stainless Steel Effect - Signs




Satin stainless steel effect signs available from stock.



Tactile and braille versions to meet the Equality Act, BS8300 etc.

Available in glue fix only. A range of accessories is available (on page 60) to augment the range.

Corner radiusing, in-house, if required, please suffix code with an R, i.e LA9001R


Dimensions	Description	Symbol/Text	Prod Code
114x114mm		Male Symbol	LA9001
		Female Symbol	LA9029
		Unisex Symbol	LA9030
		Disabled Symbol	LA9038
		Baby Change Symbol	LA9047
		Cleaner Symbol	LA9050
	Engraved outline symbol		

Stainless Steel Effect - Signs

Dimensions	Description	Symbol/Text	Prod Code
153x114mm		Male Symbol/Male	LA9001EA
		Female Symbol/Female	LA9029EA
		Unisex Symbol/Unisex	LA9030EA
		Disabled Symbol/Toilet	LA9038EA
		Baby Change Symbol/Baby Change	LA9047EA
53x200mm	  Engrave filled Ariel font	Ladies	LA9056
		Gentleman	LA9102
		Toilet	LA9118
		Toilets	LA9127
		Private	LA9129
		Shower	LA9130
		Bathroom	LA9131
		Cloakroom	LA9132
		Changing room	LA9133
		Waiting room	LA9134
		Meeting room	LA9135
		Staff room	LA9136
		Manager	LA9137
		Locker room	LA9138
		Personnel	LA9139
		Store room	LA9140
		Way in	LA9141
		Way out	LA9142
		Arrow Symbol	LA9143
		Kitchen	LA9144
		Office	LA9145
		No entry	LA9146
		No exit	LA9147
		Exit	LA9148
		Enquiries	LA9149
		No smoking	LA9150
		Mind your head	LA9151
		Mind the step	LA9152
		Reception	LA9154
		Canteen	LA9155
		Please ring for attention	LA9156
		Quiet please	LA9157
		Push	LA9163
		Pull	LA9172
		Staff only	LA9181
	Custom engraving your choice		LA9999



Sign Accessories



Mounts for our signs on pages 68 and 69. Manufactured from plain anodised aluminium with black plastic ends. These offer the finishing touch or a modular feature to the signs on pages 68 and 69.

Dimensions	Sign Size (Pages 68-69)	Prod Code
60x205mm	53x200mm	LAX9012
120x120mm	114x114mm	LAX9023
165x120mm	153x114mm	LAX9038



Wall bracket for flag mounting of signs on page 68 and 69. Please note that two signs are required to successfully make one flag.

Slot Length	Sign Size (Pages 68-69)	Prod Code
51mm	53x200mm	LAX9001
102mm	114x114mm	LAX9002

Stainless Steel Signs



Satin stainless steel signs available from stock.

Low-cost, attractive signage for doors.

Manufactured from 1.2mm grade 304, satin stainless steel.

Symbol is black, tactile, 0.8mm thick. 1.6mm thick available on request.

Available in glue fix only.

Custom variations available including room names, directional signage, various colours of tactile (below), drill and countersink etc.

Symbol/Text	Dimensions	Prod Code
Male Symbol	100x100mm	SSSQ01
Female Symbol		SSSQ02
Unisex Symbol	100 x 150mm (Landscape)	SSSQ04
Disabled Symbol	100x100mm	SSSQ03
Baby Change Symbol		SSSQ09
Cleaner Symbol		SSSQ20






Clear cast acrylic signs with reverse engraving on stainless steel standoffs. A quality sign that matches any interior due to its transparency.

Not to be confused with similar signs with self adhesive letters and symbols, these are quality, reverse engraved and paint-filled signs, manufactured from the best quality 5mm thick acrylic, mounted on satin stainless steel stand-offs.

Dimensions	Symbol/Text	Prod Code
200x200mm	Male	SIGN101
	Female	SIGN102
	Disabled	SIGN103
	Unisex	SIGN104
	Office	SIGN107
	Meeting room	SIGN105
	Staff room	SIGN106
	Custom text/symbols	SIGN199
300x300mm	Disabled/Unisex	SIGN204



Glue fix numerals manufactured from stainless steel effect laminate, available in multiple heights.

A great, and cost effective option for internal lettering, numerals and symbols.

To specify;

DAS3 - A - B - SSSE

300mm high, symbol !, in satin stainless steel effect = DAS3-300-!-SSSE


200mm high, letter A, in satin stainless steel effect = DAS3-200-A-SSSE

To specify this range generically please specify DAS3 Range.

Height (A)	Numerals/Letter (B)	Finish (C)	Prod Code
50-400mm in increments of 10mm	Any letter or symbol on your keyboard	SSSE	DAS3+A+B+SSSE



Stainless Steel - Numerals



Screw fix numerals manufactured from grade 316 stainless steel available in two heights.

Please use 6 as a 9.

To specify;

DAS1 - A - B - C

50mm high, numeral 8, in satin stainless steel = DAS1-50-8-SSS

To specify this range generically please specify DAS1 Range.

Height (A)	Numeral/Letter (B)	Finish (C)	Prod Code
50mm	0-8, a-c	SSS or PSS	DAS1+A+B+C
100mm			



Concealed fix numerals manufactured from grade 304 stainless steel available in 150mm height.

Please use 6 as a 9.

To specify;

DAS2 - 150 - B - SSS

150mm high, numeral 5, in satin stainless steel = DAS2-150-5-SSS

To specify this range generically please specify DAS2 Range.


Height	Numeral/Letter (B)	Finish	Prod Code
150mm	0-8	SSS	DAS2-150+B-SSS

Stainless Steel Customisation



We have lots of custom options from our in-house workshop including the following to stainless steel. We offer most fonts, all ISO symbols, logos and fonts from EPS, in-house design.

- Engraving
- Paint filling - any colour
- Tactile - 19 colours
- Applique - 19 colours
- Braille
- CNC through
- CNC cutout
- Cutting/shearing
- Folding
- Radius corners
- Drill
- Drill and countersink
- Edge polishing







W T Lynn Ltd  
Navigation Road  
Burslem  
Stoke on Trent  
ST6 3RU

Tel: 01782 834818  
Fax: 01782 825856  
Email: [sales@wtlynn.co.uk](mailto:sales@wtlynn.co.uk)

